

Chalk Refill for Deluxe Chalk Hem Marker

Prepared according to U.S. OSHA, CMA, ANSI, Canadian WHMIS regulations

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PRODUCT DESCRIPTION: PRYM PRODUCT NUMBER: UPC CODE: U.N. NUMBER: U.N. DANGEROUS GOODS CLASS: SUPPLIER/MANUFACTURER'S NAME: ADDRESS: BUSINESS PHONE: BUSINESS FAX: DATE OF PREPARATION: DATE OF LAST REVISION:

Chalk Refill for Deluxe Chalk Hem Marker Powdered chalk for refilling Dritz #699 Deluxe Chalk Hem Marker 681 072879110838 None Non-Regulated Material **Prym Consumer USA** 950 Brisack Road, Spartanburg SC 29303 864-576-5050 (For product information)

864-576-5050 (For product information) 864-587-3353 (Fax) July 31, 2015 New

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a white to off-white to grey powdered chalk with no odor. Exposure to this product can be irritating to eyes. Repeated or prolonged contact with skin may cause irritation. It is a Non-flammable solid. The Environmental effects of this product have not been investigated, however it is not expected to cause adverse environmental effects.

US DOT SYMBOLS

Non-Regulated Material

CANADA (WHMIS) SYMBOLS

Complies with WHMIS 2015

GHS PICTOGRAMS:



COMPONENTS DETERMINING HAZARDS: All Ingredients GHS HAZARD CLASSIFICATION(S): Skin Irritant Category 2 Eye Irritant Category 2B SIGNAL WORD: Warning! HAZARD STATEMENTS: Causes mild skin irritation Causes eye irritation PRECAUTIONARY STATEMENTS:

Avoid exposure

In case of an accident or if you feel unwell - seek medical advice and show label

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

ACUTE:

INHALATION: Not expected to be an inhalation hazard under normal use.

EYE CONTACT: Direct eye contact can cause irritation.

SKIN CONTACT: Prolonged or repeated contact with product can cause irritation.

INGESTION: Can cause gastrointestinal irritation.

TARGET ORGANS:

ACUTE: Skin, Eyes

CHRONIC: None known



Chalk Refill for Deluxe Chalk Hem Marker

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDS DISCLOSURE: This product does contain known hazardous materials in reportable levels as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200. As defined under Sara 311 and 312, this product contains no known hazardous materials.

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Talc (Hydrous Magnesium Silicate)	14807-96-6	238-877-9	Not Listed	50 - 70%	HAZARD CLASSIFICATION: Not Classified RISK PHRASES: None
Magnesite	546-93-0	208-915-9	Not Listed	30 - 45%	HAZARD CLASSIFICATION: Not Classified RISK PHRASES: None
Chlorite	1318-88-1	215-285-9	Not Listed	<5%	HAZARD CLASSIFICATION: Not Classified RISK PHRASES: None
Dolomite	16389-88-1	240-440-2	Not Listed	<5%	HAZARD CLASSIFICATION: Not Classified RISK PHRASES: None
Each of the other components present are less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens)					

SECTION 4 - FIRST-AID MEASURES

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention immediately.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT: AUTOIGNITION TEMPERATURE: FLAMMABLE LIMITS (in air by volume, %): FIRE EXTINGUISHING MATERIALS:

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: SPECIAL FIRE-FIGHTING PROCEDURES: NFPA Rating System



Not Applicable Not Applicable <u>Lower (LEL)</u>: NA <u>Upper (UEL)</u>: NA As appropriate for surrounding fire. Carbon dioxide, foam, dry chemical, halon, or water spray. None known Not Sensitive. Not Sensitive Incipient fire responders should wear eye protection. Structural

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.



Chalk Refill for Deluxe Chalk Hem Marker

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Contain spill if safe to do so. Sweep or vacuum material and place in an appropriate closed container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations)

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: Observe good hygiene practices.

STORAGE AND HANDLING PRACTICES: Store in a cool, dry location.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

Currently, International exposure limits are not established for all the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Ensure adequate ventilation when using this product.

RESPIRATORY PROTECTION: Not required. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93.

EYE PROTECTION: Safety glasses or chemical goggles as appropriate were contact is possible. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

HAND PROTECTION: Not normally required. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE: APPEARANCE & ODOR:

ODOR THRESHOLD (PPM): VAPOR PRESSURE (mmHg): VAPOR DENSITY (AIR=1): EVAPORATION RATE (nBuAc = 1): BOILING POINT (C°): MELTING POINT (C°): pH: SPECIFIC GRAVITY 20°C: (WATER =1) SOLUBILITY IN WATER (%) VOC: Solid

This product is a white to off-white to grey powdered chalk with no odor.

Odorless Not Applicable Not Applicable Not Applicable >1300°C Not Applicable

Not Applicable Non-Soluble Not Applicable

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Stable. DECOMPOSITION PRODUCTS: When heated to decomposition this product produces Oxides of carbon (COx). MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: None known HAZARDOUS POLYMERIZATION: Will not occur. CONDITIONS TO AVOID: None known

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data is not available for this product:

SUSPECTED CANCER AGENT: One of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these



Chalk Refill for Deluxe Chalk Hem Marker

agencies.

Talc CAS# 14807-96-6 IRAC Group 2B

IRRITANCY OF PRODUCT: Contact with this product isirritating to exposed skin and eyes.

SENSITIZATION OF PRODUCT: Ingredients in this product are not considered a sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: When promptly used or properly disposed of this product does not present an environmental hazard.

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No evidence is currently available on this product's effects on plants or animals.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No evidence is currently available on this product's effects on aquatic life.

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material

HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: None

PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): None

MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101. TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

 Acute Health:
 Yes
 Chronic Health:
 No
 Fire:
 No
 Reactivity:
 No

 U.S. SARA THRESHOLD PLANNING QUANTITY:
 There are no specific Threshold Planning Quantities for this
 There are no specific Threshold Planning Quantities for this

<u>U.S. SARA THRESHOLD PLANNING QUANTITY:</u> There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.



Chalk Refill for Deluxe Chalk Hem Marker

U.S. CERCLA REPORTABLE QUANTITY (RQ): None CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): None of the ingredients are on the California Proposition 65 lists. **CANADIAN REGULATIONS:** CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists. CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Complies with WHMIS 2015 **INTERNATIONAL CHEMICAL INVENTORIES:** Listing of the components on individual country Chemical Inventories is as follows: Asia-Pac: Listed or Exempt Australian Inventory of Chemical Substances (AICS): Listed or Exempt Listed or Exempt Korean Existing Chemicals List (ECL): Japanese Existing National Inventory of Chemical Substances (ENCS): Listed or Exempt Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed or Exempt Swiss Giftliste List of Toxic Substances: Listed or Exempt U.S. TSCA: Listed

SECTION 16 - OTHER INFORMATION

PREPARED BY: Paul Eigbrett

GHS MSDS Compliance PLUS

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Footnote: Based on STERLINGBRENNTAGIMERYS28APRIL2015

End of SDS Sheet